

Line voltage soldering iron 200 W

Item No: T0056105699N

Line voltage soldering iron 200 W

The Weller Magnastat system operates through a ferro-magnetic sensing device which changes its characteristics when specific temperatures are reached. This causes it to either attract or repel a permanent magnet which operates a power supply switch. In this way power to the heating element can be quickly switched on or off to either provide extra power for soldering operations or reduce power when idling. Various pre-selected tip temperatures are available to permit different types of soldering to be undertaken. Working temperature selection is achieved by simply changing the "temperature sensing" soldering tip. These are available in temperature ratings of 260°C, 310°C, 370°C, 425°C and 480°C.

KEY FEATURES

- + 200 W, 230 V
- + Complete with soldering tip CT2 F7 and safety rest
- + Magnastat controlled
- + For CT Soldering tips

TECHNICAL DATA

ESD Safe	Yes
Magnastat	Yes
Power	200 W
Temperature Range (Depends on Tool)	370°C
Tip Type	CT2 CT6 HM LT PT
UPC	037103312310



Soldering tips

CT2 Soldering tips

Chisel shape



A = Width mm
B = Thickness mm
C = Length mm

Model	°C	A	B	PU	Order No.
CT2 E7	370	7.0		1	T005 42 407 99N
					
CT2 E8	425	7.0		1	T005 42 408 99N
					
CT2 EX7	370	7.0		1	T005 42 507 99N
					
CT2 EX8	425	7.0		1	T005 42 508 99N
					
CT2 EX9	480	10.0		1	T005 42 509 99N
CT2 F7	370	10.0		1	T005 42 417 99N
					

Model	°C	A	B	PU	Order No.
CT2 F8	425	10.0		1	T005 42 418 99N
					
CT2 F9		10.0		1	T005 42 419 99N
CT2 FX7	370	10.0		1	T005 42 517 99N
					
CT2 FX8	425	10.0		1	T005 42 518 99N
					
CT2 FX9	480	10.0		1	T005 42 519 99N
CT2 G8	425	11.0		1	T005 42 428 99N
					
CT2 G9		11.0		1	T005 42 429 99N